AD 635499

# DEVELOPMENT OF NUTRITIONALLY DEFINED METABOLIC DIETS FOR AEROSPACE TRAVEL

H. HOLLENDER H. A. DYMSZA M. KLICKA

CLE	ARINGHO	USE U.S.	ARMY NA	TICK LABORA	TORIES
FOR FED	ERAL SCLEN	TIFIC AND	t		
TECHN	ICAL INFOR	NOITAM			
Hardcopy	Microfiche				
\$100	\$ ,50	16 Pp 25	DECI	EMBER 1965	
			}		

ARCHIVE COPY

Distribution of this document is unlimited





AEROSPACE MEDICAL RESEARCH LABORATORIES
AEROSPACE MEDICAL DIVISION
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

# **Notices**

When US Government drawings, specifications, or other data are used for purpose other than a definitely related Government procurement operat. Government thereby incurs no responsibility nor any obligation whatsoes the fact that the Government may have formulated, furnished, or in any with plied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Requests for copies of this report should be directed to either of the addressees listed below, as applicable:

Federal Government agencies and their contractors registered with Defense Documentation Center (DDC):

DDC Cameron Station Alexandria, Virginia 22314

Non-DDC users (stock quantities are available for sale from):

Chief, Input Section Clearinghouse for Federal Scientific & Technical Information (CFSTI) Sills Building 5285 Port Royal Road Springfield, Virginia 22151

Organizations and individuals receiving reports via the Aerospace Medical Research Laboratories' automatic mailing lists should submit the addressograph plate stamp on the report envelope or refer to the code number when corresponding about change of address or cancellation.

Do not return this copy. Retain or destroy.

600 - May 1966 - 773-43-937

# BLANK PAGE

# DEVELOPMENT OF NUTRITIONALLY DEFINED METABOLIC DIETS FOR AEROSPACE TRAVEL

H. HOLLENDER H. A. DYMSZA M. KLICKA

ACCESSION CFSTI BBC UMANNBURG JUSTIFICAT	W-17E : BUIT 100 Park	ECETION OF LABORITORY	neal
BY THE BUT	OYN A 1011/AYAHLAD   AVAIL edd	RITT ROBES	
/			

Distribution of this document is unlimited

### **Foreword**

This study was initiated by the Biomedical Laboratory, Aerospace Medical Research Laboratories, Wright-Patterson Air Force Base, Ohio. The original research and development work was accomplished by the Food Division, U.S. Army Natick Laboratories, Natick, Massachusetts, under Military Interdepartmental Purchase Request No. AMD-AM 4-40011, "Development of Food Items to Meet Air Force Requirements for Space Travel." This work represents development of nutritionally defined metabolic diets for space feeding. Mr. F. P. Mehrlick, Director, was the principal investigator for the Food Division. Elwood W. Speckmann, PhD, of the Biospecialties Branch was the contract monitor for the Aerospace Medical Research Laboratories. The work was performed in support of Project 7164 "Biomedical Criteria for Aerospace Flight," Task 716405 "Aerospace Nutrition." The research sponsored by this MIPR was started in January 1964 and was completed in December 1964.

This technical report has been reviewed and is approved.

WAYNE H. McCANDLESS
Technical Director
Biomedical Laboratory
Aerospace Medical Research Laboratories

# **Abstract**

Determination of the precise nutritional requirements of men in space requires a knowledge of, and careful control of, all environmental factors including the food consumed. The most suitable diet for experimental metabolic studies in a space system is therefore a nutrient defined diet composed of highly purified ingredients of known composition. Data compiled during the development of a nutrient defined diet in various flavors and physical forms are presented. The formulation of a liquid form of this diet including the nutrient composition, emulsion stability, antifoaming agents, flavor selection, and the techniques of packaging are discussed. An assessment of the organoleptic quality of the U.S. Army Natick Laboratories (NLABS) liquid nutrient defined diet by taste panel experts revealed a rating of 6.0 or above for the vanilla and chocolate flavors using a 9 point hedonic scale. Although slightly acceptable to taste panelists, this diet needs major flavor improvement if it is to be considered for use as the sole nutrient source for humans for prolonged periods of time. At the present time, this nutrient defined formulation is considered the best available liquid diet for sole support of humans in aerospace systems.

# **BLANK PAGE**

### SECTION I

# Introduction

Determination of the precise nutritional requirements of man in space requires a knowledge of, and careful control of, all environmental factors including the food consumed. The most suitable diet for experimental metabolic studies in a space system is therefore a nutrient defined diet composed of highly purified ingredients of known composition.

Early in 1964, after surveying the availability and composition of commercial and other formula diets, none of these diets were found to have sufficient nutrients for the present experimental studies. Accordingly, preliminary feasibility studies on the development of a nutrient defined diet were conducted by the Metabolism Section, Nutrition Branch, Food Division, U.S. Army Natick Laboratories, Natick, Mass. (NLABS). A number of crude prototype samples of semisynthetic diet in dry, water-dispersable compressed bar and freeze dried forms were prepared and evaluated at NLABS.

Tentative diet specifications were discussed with Air Force and NASA personnel in April 1964. Broad guidelines established for the metabolic diet called for a combination of purified components to supply a daily allowance of 2800 kcal. The diet was to contain 60-70 gm protein, fat was to make up to 40 percent of the total calories, and carbohydrates were to furnish the remainder of the energy. To facilitate constant intake and alleviate stability and off-taste problems, vitamins and minerals were not included in the diet specifications. The vitamins and minerals were to be supplied in capsules. At that time, the nutrient defined metabolic diet was also to be developed in many different food forms and should incorporate many of the physical properties of natural food.

Further discussions with Air Force representatives indicated continued interest in these types of products for their various research studies. In fact, the Air Force was interested in accelerating the program.

Based on these discussions, laboratory-scale development of liquid and candy-type metabolic diets proceeded at an increased pace during the summer of 1964. In June, a request was made for NLABS to supply the Air Force with 700 man days of the best available liquid nutrient defined formulation. This diet was fed chilled as the sole nutrient source (except vitamins and minerals) to human volunteers confined to a simulator for 28 consecutive days. The specifications for this diet were prepared by the Biomedical Laboratory, Aerospace Medical Research Laboratories, Wright-Patterson Air Force Base, Ohio, and were as follows:

- a. To be a liquid or a dry form capable of reconstitution to a liquid.
- b. To supply a daily allowance of 2800 kcal with 70-75 gm high quality protein, approximately 415 gm carbohydrate (corn syrup solids), approximately 90 gm fat (vegetable-origin), a maximum of 800 mg calcium, 500-800 mg phosphorous, and no more than 8 gm of sodium chloride.
- c. To be so designed that 10% of the energy was derived from protein, 30% from fat, and 60% from carbohydrate.

<sup>\*</sup>Walch, 1965, Personal Communication, School of Aviation Medicine, Aerospace Medical Division, Brooks AFB, Tex.

- d. To have a bland flavor.
- e. To contain no trace of vitamins and minor elements.
- f. To be packaged as a sterile canned liquid if possible. Otherwise, freeze dried and packaged in conveniently sized containers.
  - g. To be stable for 90 days at room temperature.

As NLABS were not in a position to process a production quantity of this product, contacts were made with custom packers of such products and a service contract was subsequently awarded to Amboy Sterile Packaging Company, Amboy, Illinois. The required amount of product was processed on technical requirements furnished by NLABS.

#### SECTION II

# **Methods**

Development began with the formulation of a simple model basic diet where different individual or various combinations of ingredients could be changed providing the amounts of total protein, carbohydrate, and fat remained rather constant. For example, purified protein sources, such as casein and egg albumin, were used individually or together in various combinations to make up 4% to 5% by weight of the diet. It was convenient to use hydrolyzed corn starch in the form of corn syrup as the major carbohydrate source. As with semisynthetic animal diets used in nutrition research, corn oil and other vegetable oils of known origin were considered satisfactory sources of fat in the initial diets. Stabilizing, emulsifying, flavoring, antifoaming, and other additives were added as experimental variables to this diet. The nutrient composition of the basic diet developed was as follows: purified proteins, 4-5%; carbohydrate, 24%; fat, 6%; additives as required, and water to make to 100% by weight.

Ingredients — Since the diet was to be nutrient defined, every effort was made to obtain the most purified ingredients available which were of known chemical composition and which were consistent with practical food technology considerations. The food ingredients used are listed in table I. Table II lists the manufacturer's chemical and physical data for the protein and carbodrate used in the canned diets.

Emulsion Stability and Foaming — The following are typical additive combinations which stabilized the oil-in-water emulsion system of laboratory produced liquid diets.

Protein

Emulsifier Mixture

Sodium caseinate

0.1% algin, 0.1% CMC, 0.05% monoglycerides, plus 1% calcium citrate 0.1% algin and 0.05% monoglycerides

Sodium caseinate and egg albumin, 1:1

#### **ASEPTIC CANNING**

Amboy Sterile Packaging Company, which uses the continuous short time, high temperature process method of the Dole Aseptic Canning System, was awarded contracts to produce the two large lots of the liquid nutrient defined formulation. The processing method combined flash sterilization and cooling with aseptic methods in canning, thus eliminating the retorting and subsequent cooling required in conventional canning procedures. As a result, more of the original nutritive value, flavor, color, and texture were retained.

In this process, the liquid diet was pumped continuously under pressure through the heating section of the sterilizer where it was quickly brought up to sterilization temperature of 144.4C then through a holding tower maintained at 144.4C for 8 seconds to insure complete sterilization, and finally through cooling towers to the aseptic canning unit. Sanitary-type cans and covers were sterilized with superheated steam at a temperature about 260C. Thus, a cold sterile product flowed from the heat exchanger towers into sterile cans and was sealed, in a continuous aseptic operation. Diet formulations are given in table III, and the chemical composition data on NLABS Metabolic Diet No. 1 are shown in table IV.

#### SECTION III

### Results

Flavor — Laboratory batches of the diet were prepared in several flavors, and personnel were asked to select two flavors from samples of diet flavored with (1) vanilla, (2) banana, (3) butter-scotch, (4) chocolate No. 4, (5) chocolate No. 5, and (6) chocolate No. 6. The flavors chosen were vanilla and chocolate No. 5.

While the initial canned diets had a strong unpleasant aftertaste, progress has been made in the improvement of diet palatability by the use of flavoring agents.

Acceptability and Palatability of Canned Diets — Taste panel tests conducted by the Acceptance Laboratory of the NLABS' Psychology Laboratories, Pioneering Research Division, were used to evaluate initial reaction to NLABS canned metabolic diets. Acceptability scores of NLABS and other liquid diets, based on a 9 point hedonic scale, are given in table V. The scores indicate that some NLABS second generation liquid diets have received ratings of 6.0 or above.

When freeze-dried, the canned liquid diets gave products which offered a potential for good acceptability when eaten "as is," however, some difficulty was experienced in reconstitution back to a liquid form. Considerable time and effort were required, and a small amount of diet residue that did not go into solution remained. Laboratory tests showed that sonic homogenization of the liquid diet for 10 minutes before freeze drying considerably improved rehydration time and reduced nonsoluble residue particles.

#### SECTION IV

### Discussion

Tests indicated that, while emulsion stability was dependent on the formulation used, a combination of additives and mechanical homogenization usually produced the best results. Inclusion of a few percent of pregelatinized starch or processed waxy maize starch also appeared to increase emulsion stability. Foaming was a problem only with egg albumin formulations and was minimized with the use of 30 ppm of food grade silicone antifoam.

The selection of vanilla and chocolate as havors stemmed not only from the taste panel evaluation, but also from the fact that many nutritionists are of the opinion that less flavor fatigue will occur in long-term feedings on the more bland and common flavors than on the more exotic or intense flavors, such as coffee, strawberry, or cherry.

These data further indicate that the various flavors of the NLABS liquid nutrient defined diet rated superior to similar flavors of commercially available liquid formulations in terms of organoleptic quality.

Human feeding studies for 28-consecutive days using the NLABS liquid nutrient defined formulation revealed that these formulations were tolerable but were not very acceptable even in a chilled condition.

The recommendation to use liquid diets for aerospace missions by the Space Science Board, National Research Council, Washington, D.C., has promoted considerable research to formulate complete liquid nutrient diets. The results contained herein indicate the progress to date in formulation and production of a liquid diet for use in aerospace missions. The development of such a diet under Air Force guidance has progressed rapidly, yet still requires major improvements in organoleptic quality for prolonged human consumption.

The ability to alter the physical form as well as the flavor of a nutrient defined diet offers many advantages. Development of freeze dried, compressed bite size, chewable candy and baked forms, in addition to the liquid form of this metabolic diet are now under intense evaluation by NLABS. The composition of these formulas will be generally similar to that described herein.

# TABLE I INGREDIENTS USED IN DEVELOPMENT OF NLABS' NUTRIENT DEFINED METABOLIC DIETS

Proteins —	Sodium caseinate	Emulsifying	
	Calcium caseinate	Stabilizing or	
	Potassium caseinate	Thickening Agents -	Algin
	Lactalbumin	0 0	Carrageenan
	Egg albumin		Agar-agar
	Wheat gluten (in baking)		Lecithin
			Gelatin
Carbohydrates —	Sucrose		Methyl cellulose
	Glucose		Acetylated
	Dextrine		monoglycerides
	Corn starch		Mono- and Di-
	Corn starch hydrolyzate		glycerides
	(corn syrup)		07
	Pregelatinized or processed		
	starches	Flavors —	Vanilla
			Chocolate
Fats —	Corn oil		Coffee
	Cottonseed oil		Orange
	Coconut fat		Cherry
	Partially hydrogenated		Cream soda
	vegetable oil		Banana
			Butterscotch
Other Additives -	- Sodium cyclamate		Caramel
	Sodium saccharin		Coconut
	Sorbital		Coconiii
	Sodium chloride		

TABLE II

MANUFACTURER'S CHEMICAL AND PHYSICAL DATA FOR SOME INGREDIENTS USED IN NLABS' CANNED METABOLIC DIETS

Product	Technical Data	Percent by Weight
Sodium Caseinate	Protein (N x 6.38) db	90.0
	Fat	1.5
	Ash	4.0
	Moisture	3.5
	Reducing substances	2.0 (maximum)
	pH (2% solution)	6.4
	Sodium	1.5
	Color	Cream white
	Particle size	Through 100 mesh
	Sediment	#2 ADMI disc
	Bacteria	
	Std plate count	Less than 30,000 per gm
	Thermophile	Less than 20,000 per gm
	Yeast and mold	Less than 100 per gm
	Coliform	None
Corn Syrup	Dextrose equivalent (DE)	42
	Baumé	43
	Moisture	19.7
	$SO_2$	40 ppm (maximum)
	Ash	0.5
	Carbohydrate (db)	
	Monosaccharides (Dextrose)	5.9
	Disaccharides (Maltose)	44.4
	Trisaccharides	12.7
	Tetrasaccharides	3.3
	Penta & higher	33.7
	Viscosity	
	26.6C	560.0 poise
	37.7C	145.0 poise
	48.8 <b>C</b>	49.0 poise
	Conversion	Acid-enzyme

TABLE III

INGREDIENT COMPOSITION OF NLABS NUTRIENT DEFINED METABOLIC LIQUID DIETS

	NLABS No. 1	NLABS No. 2			
Ingredient	Chocolate and Vanilla Percent by Weight	Chocolate Percent by Weight	Vanilla Percent by Weight		
Sodium caseinate	5.0	4.5	4.5		
Hydrolyzed corn starch (42 DE, 80% solids corn syrup)	16.0	7.5	17.5		
Hydrolyzed corn starch: (42 DE, corn syrup solids)		6.0			
Processed waxy maize starch	2.0	2.0	2.0		
Sucrose	4.0	5.0	3.0		
Corn oil	6.0				
High stability partially hydrogenated vegetable oil		6.0	6.0		
Flavor and emulsifier	0.3	1.7	0.3		
Water	66.7	67.3	66.7		
TOTAL	100.0	100.0	100.0		

TABLE IV NUTRIENT COMPOSITION OF NLABS NUTRIENT DEFINED METABOLIC LIQUID DIET No. 1\*

	Per 100 gm			Can ) ml	Per 8 Cans (Daily Allowance)		
	Choc.	Vanilla	Choc.	Vanilla	Choc.	Vanilla	
Dry Matter, gm	30.8	30.5	70.8	70.2	566.0	562.0	
Moisture, gm	69.2	69.5	159.0	160.0	1272.0	1280.0	
Protein, gm	4.7	4.6	10.8	10.6	86.4	84.8	
Fat, gm	6.3	6.3	14.5	14.5	116.0	116.0	
Carbohydrate,** gm	19.6	19.4	45.1	44.6	361.0	357.0	
Calories, •• kcal.	154.0	153.0	354.0	352.0	2832.0	2816.0	
Ash, gm	0.34	0.27	0.78	0.62	6.2	5.0	
Calcium, mg	10.8	10.6	24.8	24.4	198.4	195.2	
Phosphorous, mg	50.0	40.0	115.0	92.0	92.0	736.0	
Sodium, mg	180.0	120.0	410.0	280.0	3280.0	2240.0	
Potassium, mg	15.5	4.2	35.65	9.66	285.20	77.28	
Magnesium, mg	5.0	2.4	11.50	5.52	92.00	44.16	

<sup>\*</sup>Analyses not available at this date for NLABS No. 2 diets. \*\*Calculated.

TABLE V ACCEPTABILITY SCORES OF NLABS AND OTHER LIQUID DIETS\*

	No. Frequency of Scores					Total Ave.						
Liquid Diets	Tasters	1	2			-	•	7		9	Score	Score
NLABS Choc. (111964)	37	l	ı	3	4	3	9	6	7	3	222	6.0 (a)***
(N) Chocolate	37	5	4	0	6	4	6	9	3	0	180	4.9 (b)
NLABS Coffee (111964PM)	36	1	1	3	3	5	8	7	7	1	213	5.9
NLABS Choc. No. 1 (121264)	40	0	3	ï	7	8	8	8	ı	0	201	5.0 (a)
NLABS Choc. No. 2	40	0	2	6	6	6	7	9	4	0	213	5.3 (a)
NLABS Choc. No. 3	40	0	3	1	10	9	9	8	0	0	204	5.1 (a)
(N) Chocolate	40	6	6	6	5	4	6	4	3	()	164	4.1 (b)
NLABS Vanilla (ADL) (11165)	30	0	l	6	2	3	8	6	3	1	166	5.5 (a)
(N) Vanilla	30	3	2	5	1	5	5	6	3	0	147	4.9 (a)
NLABS Choc. No. 4 (11365)	40	1	1	2	2	7	7	9	10	1	246	6.2 (a)
NLABS Choc. No. 5	40	l	1	1	3	5	7	15	7	0	246	6.2 (a)
NLABS Choc. No. 6	40	1	1	1	3	7	7	14	6	0	241	6.0(a)
(N) Chocolate	40	4	4	4	7	2	9	6	3	l	191	4.8(b)
NLABS Banana (ADL) (11965)	30	1	1	1	3	3	8	6	6	1	180	6.0 (a)
(S) Banana	30	3	3	4	8	4	1	6	1	0	129	4.3 (b)
NLABS Butterscotch (ADL) (11265)	30	0	l	4	9	4	3	2	6	1	159	5.3 (a)
(M) Butterscotch	30	l	3	0	6	2	6	10	1	1	164	5.5 (a)
(P) Choc. (11365)**	36	1	4	8	4	3	5	7	4	0	175	4.9
(P) Vanilla	36	1	2	2	4	1	11	11	4	0	207	5.8
(P) Strawberry	36	1	1	0	1	5	7	12	8	1	231	6.4
NLABS Choc. No. 4 (11465)**	30	1	3	1	3	1	6	6	7	2	179	6.0 (a)
(P) Chocolate	30	0	2	6	9	0	5	3	3	2	151	5.0 (b)

<sup>\*</sup>Conducted by Acceptance Laboratory, Psychology Laboratory, Pioneering Research Division, U.S. Army, Natick Laboratories.

\*\*Solids content adjusted to be similar to NLABS diets.

\*\*\*Scores with common letters are statistically similar by analysis of variance.

Security Classification			
(Security classification of title, body of abstract (	ENT CONTROL DATA - R&	D	
T ORIGINATING ACTIVITY (Corporate author)		28 REPORT SECURITY CLASSIFICATI	
U.S. Army Natick Laboratories		UNCLASSIFIED	• • •
Food Division		26 GROUP	
Natick, Massachusetts 01762		N/A	
3 REPORT TITLE			
	NUTRITIONALLY DEFI		
METABOLIC DIETS F	OR AEROSPACE TRAV	EL	
4 DESCRIPTIVE NOTES (Type of report and inclusive of			
Final report, Januar 5 Author(S) (Last name, first name, initial)	<u>y 1964 - December 1</u>	1964	
	llender, H.		
	nsza, H. A.		
	cka, M.		
6 REPORT DATE	74 TOTAL NO. OF PA		
December 1965		AGES 75. NO. OF REPS	
84 CONTRACT OR GRANT NO.	15		
MIPR No. AMD-AM 4-40011	9ª ORIGINATOR'S RE	PORT NUMBER(5)	
6 PROJECT NO. 7164			
c Task No. 716405	AA OTHER REPORT I	10(8) (4	
	thie report)	(O(S) (Any other numbers that may be seeld	ned
d	AMRL-TR-	-65-218	
10 AVAILABILITY/LIMITATION NOTICES			
The second second			
Distribution of this document is	unlimited.		
11. SUPPLEMENTARY NOTES	12 SPONSORING MILLS	A 2 4 A 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4	

13 ABSTRACT

Determination of the precise nutritional requirements of men in space requires ledge of, and careful control of, all environmental factors including the food consumed. The most suitable diet for experimental metabolic studies in a space system is therefore a nutrient defined diet composed of highly purified ingredients of known composition. Data compiled during the development of a nutrient defined diet in various flavors and physical forms are presented. The formulation of a liquid form of this diet including the nutrient composition, emulsion stability, antifoaming agents, flavor selection, and the techniques of packaging are discussed. An assessment of the organoleptic quality of the U.S. Army Natick Laboratories (NLABS) liquid nutrient defined diet by taste panel experts revealed a rating of 6.0 or above for the vanilla and chocolate flavors using a 9 point hedonic scale. Although slightly acceptable to taste panelists, this diet needs major flavor improvement if it is to be considered for use as the sole nutrient source for humans for prolonged periods of time. At the present time, this nutrient defined formulation is considered the best available liquid diet for sole support of humans in aerospace systems.

12. SPONSORING MILITARY ACTIVITY

Aerospace Medical Research Laboratories, Aerospace Medical Div., Air Force Systems

Command, Wright-Patterson AFB, Ohio

KEY WORDS	LIN	K A	LIN	K B	LIN	K C
NET WORDS	ROLE	wr	ROLE	wT	ROLE	WT
Metabolic liquid diets						
Nutritional experiment						
Liquid diet, space	İ		] ]			
Organoleptic acceptability			1 1			
Packaging techniques			i i		1	
rackaging reciniques					ļ	
			]			
					1 1	
	İ					
			i			
			İ			

#### INSTRUCTIONS

- 1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the over all security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title connot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal withor is an absolute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures. i.e., enter the number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.
- 8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & \$d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).
- 10. VAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- 11. SUPPLEMENTARY NOTES: Use for additional explana-
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.